

CounterFold

CF-1-H

772 x 515 x 1050mm Template



Need help with the artwork?

Would your files benefit from our
studio enhancement?

Call **01767 603930** for a quote

Parkes Display & Expo | 41 Hitchin Street | Biggleswade | Bedfordshire | SG18 8BE
01767 603930 | sales@**parkes**expo.com | www.**parkes**expo.com

Parkes

display&expo

t: 01767 603930

CounterFold

CF-1-H 772x1050mm Front Panel

- Text Limited Area
- Visual Area (697 x 997mm)
- Bleed Area (709 x 1009mm)

ARTWORK REQUIREMENTS

Where possible please ensure your final artwork conforms to the following:

- CMYK Colour mode
- All images are 100dpi (at full size)
- Minimum of 6mm (as per template)
- Submit a PDF with crop marks
- All fonts converted to outlines
- Supply your original creation files complete with images and fonts in case technical adjustments are required

PLEASE REMOVE ALL GUIDELINES BEFORE
SUBMITTING FINISHED ARTWORK

Parkes
display&expo
t: 01767 603930

CounterFold

CF-1-H 772x1050mm Side Panel

- Text Limited Area
- Visual Area (432 x 997mm)
- Bleed Area (444 x 1009mm)

ARTWORK REQUIREMENTS

Where possible please ensure your final artwork conforms to the following:

- CMYK Colour mode
- All images are 100dpi (at full size)
- Minimum of 6mm (as per template)
- Submit a PDF with crop marks
- All fonts converted to outlines
- Supply your original creation files complete with images and fonts in case technical adjustments are required

PLEASE REMOVE ALL GUIDELINES BEFORE
SUBMITTING FINISHED ARTWORK

CounterFold

CF-1-L

772 x 515 x 895mm Template



Need help with the artwork?

Would your files benefit from our
studio enhancement?

Call **01767 603930** for a quote

Parkes
display&expo
t: 01767 603930

CounterFold

CF-1-L 772x895mm Front Panel

- Text Limited Area
- Visual Area (697 x 842mm)
- Bleed Area (709 x 854mm)

ARTWORK REQUIREMENTS

Where possible please ensure your final artwork conforms to the following:

- CMYK Colour mode
- All images are 100dpi (at full size)
- Minimum of 6mm (as per template)
- Submit a PDF with crop marks
- All fonts converted to outlines
- Supply your original creation files complete with images and fonts in case technical adjustments are required

PLEASE REMOVE ALL GUIDELINES BEFORE
SUBMITTING FINISHED ARTWORK

Parkes
display&expo
t: 01767 603930

CounterFold

CF-1-L 515x895mm Side Panel

- Text Limited Area
- Visual Area (432 x 842mm)
- Bleed Area (444 x 854mm)

ARTWORK REQUIREMENTS

Where possible please ensure your final artwork conforms to the following:

- CMYK Colour mode
- All images are 100dpi (at full size)
- Minimum of 6mm (as per template)
- Submit a PDF with crop marks
- All fonts converted to outlines
- Supply your original creation files complete with images and fonts in case technical adjustments are required

PLEASE REMOVE ALL GUIDELINES BEFORE
SUBMITTING FINISHED ARTWORK

CounterFold

CF-2-H

1070 x 515 x 1050mm Template



Need help with the artwork?

Would your files benefit from our
studio enhancement?

Call **01767 603930** for a quote

Parkes

display&expo

t: 01767 603930

CounterFold

CF-2-H 1070x1050mm Front Panel

- Text Limited Area
- Visual Area (995 x 997mm)
- Bleed Area (1007 x 1009mm)

ARTWORK REQUIREMENTS

Where possible please ensure your final artwork conforms to the following:

- CMYK Colour mode
- All images are 100dpi (at full size)
- Minimum of 6mm (as per template)
- Submit a PDF with crop marks
- All fonts converted to outlines
- Supply your original creation files complete with images and fonts in case technical adjustments are required

PLEASE REMOVE ALL GUIDELINES BEFORE
SUBMITTING FINISHED ARTWORK

Parkes
display&expo
t: 01767 603930

CounterFold

CF-2-H 772x1050mm Side Panel

- Text Limited Area
- Visual Area (432 x 997mm)
- Bleed Area (444 x 1009mm)

ARTWORK REQUIREMENTS

Where possible please ensure your final artwork conforms to the following:

- CMYK Colour mode
- All images are 100dpi (at full size)
- Minimum of 6mm (as per template)
- Submit a PDF with crop marks
- All fonts converted to outlines
- Supply your original creation files complete with images and fonts in case technical adjustments are required

PLEASE REMOVE ALL GUIDELINES BEFORE
SUBMITTING FINISHED ARTWORK

CounterFold

CF-2-L

1070 x 515 x 895mm Template



Need help with the artwork?

Would your files benefit from our
studio enhancement?

Call **01767 603930** for a quote

Parkes
display&expo
t: 01767 603930

CounterFold

CF-2-L 1070x895mm Front Panel

— Text Limited Area

— Visual Area (995 x 842mm)

--- Bleed Area (1007 x 854mm)

ARTWORK REQUIREMENTS

Where possible please ensure your final artwork conforms to the following:

- CMYK Colour mode
- All images are 100dpi (at full size)
- Minimum of 6mm (as per template)
- Submit a PDF with crop marks
- All fonts converted to outlines
- Supply your original creation files complete with images and fonts in case technical adjustments are required

PLEASE REMOVE ALL GUIDELINES BEFORE
SUBMITTING FINISHED ARTWORK

Parkes
display&expo
t: 01767 603930

CounterFold

CF-2-L 515x895mm Side Panel

— Text Limited Area

— Visual Area (432 x 842mm)

--- Bleed Area (444 x 854mm)

ARTWORK REQUIREMENTS

Where possible please ensure your final artwork conforms to the following:

- CMYK Colour mode
- All images are 100dpi (at full size)
- Minimum of 6mm (as per template)
- Submit a PDF with crop marks
- All fonts converted to outlines
- Supply your original creation files complete with images and fonts in case technical adjustments are required

PLEASE REMOVE ALL GUIDELINES BEFORE
SUBMITTING FINISHED ARTWORK

CounterFold

CF-3-L

1070 x 515 x 895mm Template
+ Top Box



Need help with the artwork?

Would your files benefit from our
studio enhancement?

Call **01767 603930** for a quote

Parkes
display&expo
t: 01767 603930

CounterFold

CF-3-L 1070x895mm Front Panel

— Text Limited Area

— Visual Area (995 x 842mm)

--- Bleed Area (1007 x 854mm)

ARTWORK REQUIREMENTS

Where possible please ensure your final artwork conforms to the following:

- CMYK Colour mode
- All images are 100dpi (at full size)
- Minimum of 6mm (as per template)
- Submit a PDF with crop marks
- All fonts converted to outlines
- Supply your original creation files complete with images and fonts in case technical adjustments are required

PLEASE REMOVE ALL GUIDELINES BEFORE
SUBMITTING FINISHED ARTWORK

Parkes
display&expo
t: 01767 603930

CounterFold

CF-3-L 515x895mm Side Panel

— Text Limited Area

— Visual Area (432 x 842mm)

--- Bleed Area (444 x 854mm)

ARTWORK REQUIREMENTS

Where possible please ensure your final artwork conforms to the following:

- CMYK Colour mode
- All images are 100dpi (at full size)
- Minimum of 6mm (as per template)
- Submit a PDF with crop marks
- All fonts converted to outlines
- Supply your original creation files complete with images and fonts in case technical adjustments are required

PLEASE REMOVE ALL GUIDELINES BEFORE
SUBMITTING FINISHED ARTWORK

Parkes
display&expo
t: 01767 603930

CounterFold
CF-3-L Top Box Front Panel
— Text Limited Area
— Visual Area (985 x 157mm)
- - - Bleed Area (997 x 169mm)

ARTWORK REQUIREMENTS

Where possible please ensure your final artwork conforms to the following:

- CMYK Colour mode
- All images are 100dpi (at full size)
- Minimum of 6mm (as per template)
- Submit a PDF with crop marks
- All fonts converted to outlines
- Supply your original creation files complete with images and fonts in case technical adjustments are required

PLEASE REMOVE ALL GUIDELINES BEFORE
SUBMITTING FINISHED ARTWORK

Parkes

display&expo

t: 01767 603930

CounterFold

CF-3-L Top Box Side Panel

- Text Limited Area
- Visual Area (205 x 157mm)
- Bleed Area (217 x 169mm)

CounterFold

CF-4-H

1072 x 515 x 1050mm Template



Need help with the artwork?

Would your files benefit from our
studio enhancement?

Call **01767 603930** for a quote

Parkes

display&expo

t: 01767 603930

CounterFold

CF-4-H 1072x1050mm Front Panel

— Text Limited Area

— Visual Area (1053 x 997mm)

--- Bleed Area (1065 x 1009mm)

ARTWORK REQUIREMENTS

Where possible please ensure your final artwork conforms to the following:

- CMYK Colour mode
- All images are 100dpi (at full size)
- Minimum of 6mm (as per template)
- Submit a PDF with crop marks
- All fonts converted to outlines
- Supply your original creation files complete with images and fonts in case technical adjustments are required

PLEASE REMOVE ALL GUIDELINES BEFORE
SUBMITTING FINISHED ARTWORK

Parkes
display&expo
t: 01767 603930

CounterFold

CF-4-H 515x1050mm Side Panel

- Text Limited Area
- Visual Area (432 x 997mm)
- Bleed Area (444 x 1009mm)

ARTWORK REQUIREMENTS

Where possible please ensure your final artwork conforms to the following:

- CMYK Colour mode
- All images are 100dpi (at full size)
- Minimum of 6mm (as per template)
- Submit a PDF with crop marks
- All fonts converted to outlines
- Supply your original creation files complete with images and fonts in case technical adjustments are required

PLEASE REMOVE ALL GUIDELINES BEFORE
SUBMITTING FINISHED ARTWORK

CounterFold

CF-4-L

1072 x 515 x 895mm Template



Need help with the artwork?

Would your files benefit from our
studio enhancement?

Call **01767 603930** for a quote

Parkes
display&expo
t: 01767 603930

CounterFold

CF-4-L 1072 x 895mm Front Panel

— Text Limited Area

— Visual Area (1053 x 842mm)

- - - - Bleed Area (1065 x 854mm)

ARTWORK REQUIREMENTS

Where possible please ensure your final artwork conforms to the following:

- CMYK Colour mode
- All images are 100dpi (at full size)
- Minimum of 6mm (as per template)
- Submit a PDF with crop marks
- All fonts converted to outlines
- Supply your original creation files complete with images and fonts in case technical adjustments are required

PLEASE REMOVE ALL GUIDELINES BEFORE
SUBMITTING FINISHED ARTWORK

Parkes
display&expo
t: 01767 603930

CounterFold

CF-4-L 515 x 895mm Side Panel

— Text Limited Area

— Visual Area (432 x 842mm)

--- Bleed Area (444 x 854mm)

ARTWORK REQUIREMENTS

Where possible please ensure your final artwork conforms to the following:

- CMYK Colour mode
- All images are 100dpi (at full size)
- Minimum of 6mm (as per template)
- Submit a PDF with crop marks
- All fonts converted to outlines
- Supply your original creation files complete with images and fonts in case technical adjustments are required

PLEASE REMOVE ALL GUIDELINES BEFORE
SUBMITTING FINISHED ARTWORK

CounterFold

CF-6-H

515 x 515 x 1050mm Template



Need help with the artwork?

Would your files benefit from our
studio enhancement?

Call **01767 603930** for a quote

Parkes
display&expo
t: 01767 603930

CounterFold

CF-6-H 515 x 1050mm Front Panel

— Text Limited Area

— Visual Area (709 x 997mm)

----- Bleed Area (721 x 1009mm)

ARTWORK REQUIREMENTS

Where possible please ensure your final artwork conforms to the following:

- CMYK Colour mode
- All images are 100dpi (at full size)
- Minimum of 6mm (as per template)
- Submit a PDF with crop marks
- All fonts converted to outlines
- Supply your original creation files complete with images and fonts in case technical adjustments are required

PLEASE REMOVE ALL GUIDELINES BEFORE
SUBMITTING FINISHED ARTWORK

Parkes
display&expo
t: 01767 603930

CounterFold

CF-6-H 515 x 1050mm Side Panel

- Text Limited Area
- Visual Area (416 x 997mm)
- Bleed Area (428 x 1009mm)

ARTWORK REQUIREMENTS

Where possible please ensure your final artwork conforms to the following:

- CMYK Colour mode
- All images are 100dpi (at full size)
- Minimum of 6mm (as per template)
- Submit a PDF with crop marks
- All fonts converted to outlines
- Supply your original creation files complete with images and fonts in case technical adjustments are required

PLEASE REMOVE ALL GUIDELINES BEFORE
SUBMITTING FINISHED ARTWORK

CounterFold

CF-6-L

515 x 515 x 895mm Template



Need help with the artwork?

Would your files benefit from our
studio enhancement?

Call **01767 603930** for a quote

Parkes
display&expo
t: 01767 603930

CounterFold

CF-6-L 515 x 895mm Front Panel

— Text Limited Area

— Visual Area (709 x 842mm)

---- Bleed Area (721 x 854mm)

ARTWORK REQUIREMENTS

Where possible please ensure your final artwork conforms to the following:

- CMYK Colour mode
- All images are 100dpi (at full size)
- Minimum of 6mm (as per template)
- Submit a PDF with crop marks
- All fonts converted to outlines
- Supply your original creation files complete with images and fonts in case technical adjustments are required

PLEASE REMOVE ALL GUIDELINES BEFORE
SUBMITTING FINISHED ARTWORK

Parkes
display&expo
t: 01767 603930

CounterFold

CF-6-L 515 x 895mm Side Panel

- Text Limited Area
- Visual Area (416 x 842mm)
- Bleed Area (428 x 854mm)

ARTWORK REQUIREMENTS

Where possible please ensure your final artwork conforms to the following:

- CMYK Colour mode
- All images are 100dpi (at full size)
- Minimum of 6mm (as per template)
- Submit a PDF with crop marks
- All fonts converted to outlines
- Supply your original creation files complete with images and fonts in case technical adjustments are required

PLEASE REMOVE ALL GUIDELINES BEFORE
SUBMITTING FINISHED ARTWORK

CounterFold

CF-12-B

1070 x 515 x 1050mm Template



Need help with the artwork?

Would your files benefit from our
studio enhancement?

Call **01767 603930** for a quote

Parkes

display&expo

t: 01767 603930

CounterFold

CF-12-B 996x489mm Front Panel

— Text Limited Area

— Visual Area (996 x 489mm)

---- Bleed Area (1008 x 501mm)

ARTWORK REQUIREMENTS

Where possible please ensure your final artwork conforms to the following:

- CMYK Colour mode
- All images are 100dpi (at full size)
- Minimum of 6mm (as per template)
- Submit a PDF with crop marks
- All fonts converted to outlines
- Supply your original creation files complete with images and fonts in case technical adjustments are required

PLEASE REMOVE ALL GUIDELINES BEFORE
SUBMITTING FINISHED ARTWORK

Parkes

display&expo

t: 01767 603930

CounterFold

CF-12-B 433x489mm Side Panel

- Text Limited Area
- Visual Area (433 x 489mm)
- Bleed Area (445 x 501mm)

ARTWORK REQUIREMENTS

Where possible please ensure your final artwork conforms to the following:

- CMYK Colour mode
- All images are 100dpi (at full size)
- Minimum of 6mm (as per template)
- Submit a PDF with crop marks
- All fonts converted to outlines
- Supply your original creation files complete with images and fonts in case technical adjustments are required

PLEASE REMOVE ALL GUIDELINES BEFORE
SUBMITTING FINISHED ARTWORK

CounterFold

CF-12-C

1070 x 515 x 1050mm Template



Need help with the artwork?

Would your files benefit from our
studio enhancement?

Call **01767 603930** for a quote

Parkes

display&expo

t: 01767 603930

CounterFold

CF-12-C 996x489mm Front Panel

— Text Limited Area

— Visual Area (996 x 489mm)

---- Bleed Area (1008 x 501mm)

ARTWORK REQUIREMENTS

Where possible please ensure your final artwork conforms to the following:

- CMYK Colour mode
- All images are 100dpi (at full size)
- Minimum of 6mm (as per template)
- Submit a PDF with crop marks
- All fonts converted to outlines
- Supply your original creation files complete with images and fonts in case technical adjustments are required

PLEASE REMOVE ALL GUIDELINES BEFORE
SUBMITTING FINISHED ARTWORK

Parkes

display&expo

t: 01767 603930

CounterFold

CF-12-C 433x489mm Side Panel

- Text Limited Area
- Visual Area (433 x 489mm)
- Bleed Area (445 x 501mm)

ARTWORK REQUIREMENTS

Where possible please ensure your final artwork conforms to the following:

- CMYK Colour mode
- All images are 100dpi (at full size)
- Minimum of 6mm (as per template)
- Submit a PDF with crop marks
- All fonts converted to outlines
- Supply your original creation files complete with images and fonts in case technical adjustments are required

PLEASE REMOVE ALL GUIDELINES BEFORE
SUBMITTING FINISHED ARTWORK

CounterFold

CF-12-H

1070 x 515 x 1050mm Template



Need help with the artwork?

Would your files benefit from our
studio enhancement?

Call **01767 603930** for a quote

Parkes
display&expo
t: 01767 603930

CounterFold

CF-12-H 996x778mm Front Panel

- Text Limited Area
- Visual Area (996 x 778mm)
- Bleed Area (1008 x 790mm)

ARTWORK REQUIREMENTS

Where possible please ensure your final artwork conforms to the following:

- CMYK Colour mode
- All images are 100dpi (at full size)
- Minimum of 6mm (as per template)
- Submit a PDF with crop marks
- All fonts converted to outlines
- Supply your original creation files complete with images and fonts in case technical adjustments are required

PLEASE REMOVE ALL GUIDELINES BEFORE
SUBMITTING FINISHED ARTWORK

Parkes
display&expo
t: 01767 603930

CounterFold

CF-12-H 433x788mm Side Panel

— Text Limited Area

— Visual Area (433 x 778mm)

---- Bleed Area (445 x 790mm)

ARTWORK REQUIREMENTS

Where possible please ensure your final artwork conforms to the following:

- CMYK Colour mode
- All images are 100dpi (at full size)
- Minimum of 6mm (as per template)
- Submit a PDF with crop marks
- All fonts converted to outlines
- Supply your original creation files complete with images and fonts in case technical adjustments are required

PLEASE REMOVE ALL GUIDELINES BEFORE
SUBMITTING FINISHED ARTWORK